

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: _____

DATE : 09/22/06

TO SPE OF : ART UNIT 2856

SUBJECT : Request for Certificate of Correction for Appl. No.: **09/576716** Patent No.: **6775899**

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.



Angela Green

Certificates of Correction Branch
703.308.9380 ext.

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.


☒ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments: Request to change Column 8, from
claim 13, line 1 not approved. Change ~~is~~
"circuit board" to --- substrate --- is
not correction of typographical error and
term --- substrate --- was what is application file.
 other change OK.



HEZRO WILLIAMS

2856

Art Unit

Jon Red
9/22/06

Noland, Thomas

From: Noland, Thomas
Sent: Tuesday, September 26, 2006 10:47 AM
To: Williams, Hezron
Subject: FW: IFW 09/576716 6775899

Ron,

Action folder with 306 prepared and turned in to your office. Correction of reference citation appears ok. However don't believe can do change to claim by C of C since applicant appears to be trying to correct an antecedent basis problem by using a C of C. Probably has to do a reissue to get that correction. The language printed on the patent matches that in the application file.

-----Original Message-----

From: Green, Angela
Sent: Friday, September 22, 2006 2:05 PM
To: Williams, Hezron; Noland, Thomas
Subject: IFW 09/576716 6775899

Please respond to Req. for correction ASAP. The Application file has been sent to examiner's Mailbox today. The PTOL-306 has been forwarded for scanning today.

Once decision has been made on PTOL-306 and forwarded to scanning, a return message in Edan/Madras with comment stating "Response has been forwarded for scanning" is very much welcomed and appreciated.

PUBS CofC
Angela Green
ST9A22 Loca 7580
703.308.9380 ext. 123

Thank you for your attention to this matter.

09576716

Proposed
Response to Certificate of
Correction - Request